



TECHNICAL SPECIFICATIONS

EKO COOLANT Ready to use engine coolant *All year protection-Ready to use*

DESCRIPTION

EKO COOLANT is an ethylene glycol based engine coolant pre-dilute, with specially selected additives free of ingredients like amines, nitrites and phosphates, which could lead to deposits build-up. Provides excellent protection against freezing, boiling and corrosion in the cooling system of the car throughout the year.

SPECIFICATIONS

ASTM D 3306, SAE J1034, British Standard BS 6580, AFNOR NF R15-601

APPLICATIONS

EKO COOLANT is suitable for use in both diesel and gasoline engines in automotive and heavy duty applications, according to manufacturers' recommendations.

BENEFITS

Offers effective all year anti-corrosion protection and also all year frost protection (up to - 20°C) and boiling protection.





TECHNICAL SPECIFICATIONS

EKO COOLANT

Ready to use engine coolant All year protection-Ready to use

TYPICAL PROPERTIES

PROPERTIES	EKO COOLANT
Color	Green
Freezing Point °C, max	- 20°C
Density, 20°C	1.04 typ.

SPECIAL INSTRUCTIONS

Suitable for both gasoline and diesel engines. Ready for use-no dilution required.

Avoid mixing different brands, as they may be incompatible.